AGRICULTURAL AND HEAVY DUTY TRACKS

Firestone



Stay on the right track

There are some jobs that tires just aren't suited to. Especially when your soil's wet and it could rain any minute. That's why Firestone now offers advanced, superior rubber tracks for agricultural machinery.

They're how we help you gain the edge for the toughest jobs, and under the toughest conditions. And we've made sure our designs do it better and smarter than any other tractor tracks on the market.

THE RIGHT TRACK

When you ride on tracks, you get much more surface area than you do with tires. The weight of your equipment gets distributed more evenly resulting in swifter movement for heavy equipment, and less soil compaction.

But that doesn't mean every track is created equal. Most are made of multiple parts all held together by glue. Firestone's tracks are vulcanized as a single piece of rubber. Each is a seamless mold that's more resistant to wear and more durable in the long run. And our double-angle tread bars don't cut as deeply into the ground, ensuring you'll leave your soil in good shape for the next planting.



INNOVATION INSIDE OUT

Firestone tracks aren't just one big piece of rubber. Innovation goes into every little part.

Our new self-centering technology cuts down significantly on guide lug wear - the most common cause of track failure. Our guide lugs are vulcanized seamlessly with the rest of the carcass. And thanks to the tapered inner surfaces of Firestone tracks, the lugs naturally stay centered. By contrast, competing designs allow guide lugs to "sway" between the wheels, wearing down the track over time.


THE EDGE YOU NEED

Our Pro-Edge sidewall protection delivers thicker, more rigid track edges for a product that's stronger than the competition. It's the key to longer service life when you're working on rocky terrain.


It's all reinforced by tough and flexible steel cable that's ideal for high-horsepower machinery.

PRO-EDGE SIDEWALL PROTECTION

Exposed track edges are vulnerable to abuse in field operations — and particularly during hard turns. Pro-Edge optimum sidewall protection technology provides additional stiffness and protection for the main carcass.



When force is applied to tracks without Pro-Edge, more bending and stress occur, increasing the likelihood of damage to the rubber track.




When the same force is applied to tracks with Pro-Edge, stress and bending are minimized, reducing the risk of damage.

A CABLE/PLY PACKAGE ENGINEERED TO PERFORM

Our cable/ply package helps minimize uneven load distribution, reducing wear and damage to the inner surface of the rubber tracks.

TOUGH AND FLEXIBLE STEEL CABLE

High-performance steel cables within the cable/ply package are designed to meet the demands of today's high-horsepower farm equipment. A precise balance of tensile strength and flexibility allows for. exceptional durability.



TREAD DESIGN

Firestone tracks are available in a range of sizes and tread patterns.

Visit **bridgestone.com** for your specific needs.

TREAD PATTERN EXAMPLES

CLASS 4 AND 5



30" wide

CLASS 6



16" wide



30" wide



RUBBER TRACK LIST

AGRICULTURAL/HEAVY DUTY RUBBER TRACKS



Material ID #	Series	Model Series	Track Width (in)	Tread Bars Qty	Tread Height (in)	Tread Pitch (in)	Guide/ Drive Lug Qty	Carcass Plies	Carcass Main Cable Size (mm)	Carcass Thickness (mm)	Carcass Edge Thickness (mm)
AGCO Challenger MT700/MT800 series					**AGCO Challenger MT700/MT800 series**						
AG003692	ALL TRAC CLS 6 18X44 ST	Challenger MT700 A to E	18	88	2.56	8.03	44	4	4.5	41	48.5
AG003682	ALL TRAC CLS 5 24X59 ST	Challenger MT700 A to E	24	118	1.97	6.00	59	4	5.3	41	50.0
AG003693	ALL TRAC CLS 6 24X44 ST	Challenger MT700 A to E	24	88	2.76	8.03	44	4	5.3	41	46.0
AG003683	ALL TRAC CLS 5 30X59 ST	Challenger MT700 A to E	30	118	1.97	6.00	59	4	5.3	41	50.0
AG003694	ALL TRAC CLS 6 30X44 ST	Challenger MT700 A to E	30	88	2.76	8.03	44	4	5.3	41	46.0
AG014113	ALL TRAC CLS 6 18x45 ST	Challenger MT738/740/743	18	90	2.56	8.03	45	4	4.5	41	48.5
Coming soon	ALL TRAC CLS 6 24x45 ST	Challenger MT738/740/743	24	90	2.76	8.03	45	4	5.3	41	46.0
AG003687	ALL TRAC CLS 5 30X66 ST	Challenger MT800	30	132	1.97	6.00	66	4	5.3	41	50.0
AG003689	ALL TRAC CLS 6 30X50 ST	Challenger MT800	30	100	2.76	7.91	50	4	5.3	41	46.0
CATERPILLAR Challenger series					**CATERPILLAR Challenger series**						
AG003666	ALL TRAC CLS 4 18X53 ST	Challenger 35/45/55	18	106	1.97	6.00	53	4	4.5	37	45.5
AG003665	ALL TRAC CLS 4 24X53 ST	Challenger 35/45/55	24	106	1.97	6.00	53	3	4.5	37	46.0
AG003668	ALL TRAC CLS 4 30X53 ST	Challenger 35/45/55	30	106	1.97	6.00	53	3	4.5	37	46.0
AG009359	ALL TRAC CLS 5 24X56 ST	Challenger 65/75/85/95	24	112	1.97	6.00	56	4	5.3	41	50.0
AG009360	ALL TRAC CLS 5 30X56 ST	Challenger 65/75/85/95	30	112	1.97	6.00	56	4	5.3	41	50.0
FENDT 1100 Vario MT/900 Vario MT series					**FENDT 1100 Vario MT/900 Vario MT series**						
AG003687	ALL TRAC CLS 5 30X66 ST	1100 Vario MT	30	132	1.97	6.00	66	4	5.3	41	50.0
AG003689	ALL TRAC CLS 6 30X50 ST	1100 Vario MT	30	100	2.76	7.91	50	4	5.3	41	46.0
AG014113	ALL TRAC CLS 6 18x45 ST	900 Vario MT	18	90	2.56	8.03	45	4	4.5	41	48.5
Coming soon	ALL TRAC CLS 6 24x45 ST	900 Vario MT	24	90	2.76	8.03	45	4	5.3	41	46.0

When changing your rubber track, please refer to your equipment manufacturer for proper procedure.

RUBBER TRACK LIST

AGRICULTURAL/HEAVY DUTY RUBBER TRACKS



Material ID #	Series	Model Series	Track Width (in)	Tread Bars Qty	Tread Height (in)	Tread Pitch (in)	Guide/ Drive Lug Qty	Carcass Plies	Carcass Main Cable Size (mm)	Carcass Thickness (mm)	Carcass Edge Thickness (mm)
JOHN DEERE 8RT/8000T/9X00T to 9X20T/9X30T/9RT					**JOHN DEERE 8RT/8000T/9X00T to 9X20T/9X30T/9RT**						
AG003692	ALL TRAC CLS 6 18X44 ST	8RT	18	88	2.56	8.03	44	4	4.5	41	48.5
AG003682	ALL TRAC CLS 5 24X59 ST	8RT	24	118	1.97	6.00	59	4	5.3	41	50.0
AG003693	ALL TRAC CLS 6 24X44 ST	8RT	24	88	2.76	8.03	44	4	5.3	41	46.0
AG003683	ALL TRAC CLS 5 30X59 ST	8RT	30	118	1.97	6.00	59	4	5.3	41	50.0
AG003694	ALL TRAC CLS 6 30X44 ST	8RT	30	88	2.76	8.03	44	4	5.3	41	46.0
AG003670	ALL TRAC CLS 6 16X41 ST	8000T	16	82	2.56	7.91	41	4	4.5	41	46.0
AG003672	ALL TRAC CLS 4 24X54 ST	8000T	24	108	1.97	6.00	54	4	4.5	37	46.0
AG003675	ALL TRAC CLS 4 30X54 ST	8000T	30	108	1.97	6.00	54	3	4.5	37	46.0
AG003684	ALL TRAC CLS 6 30X48 ST	JD9X00T to 9X20T	30	96	2.76	7.91	48	4	5.3	41	51.0
AG003685	ALL TRAC CLS 5 36X63 ST	JD9X00T to 9X20T	36	126	1.97	6.00	63	4	5.3	41	55.0
AG003695	ALL TRAC CLS 6 30X49 ST	JD9X30T/9RT	30	98	2.76	7.91	49	4	5.3	41	46.0
JD combine harvester 9000 series					**JD combine harvester 9000 series**						
AG003669	ALL TRAC CLS 3 34X46 ST	Harvester	34	92	1.97	6.00	46	3	4.5	32	23.0
CASE IH Steiger Quadtrac series					**CASE IH Steiger Quadtrac series**						
AG013572	ALL TRAC CLS 5 32X42 ST	STX/Quadtrac *Not applicable for new model 715hp+	32	84	1.97	6.00	42	3	4.5	35	38.0

When changing your rubber track, please refer to your equipment manufacturer for proper procedure.

RUBBER TRACK LIST

SCRAPER/HEAVY DUTY RUBBER TRACKS

Material ID #	Series	Model Series	Track Width (in)	Tread Bars Qty	Tread Height (in)	Tread Pitch (in)	Guide/ Drive Lug Qty	Carcass Plies	Carcass Main Cable Size (mm)	Carcass Thickness (mm)	Carcass Edge Thickness (mm)
AGCO Challenger MT800 series					**AGCO Challenger MT800 series**						
AG004491	ALL TRAC CLS 6S 30X50 ST	Challenger MT800	30	100	1.97	7.91	50	4	5.3	41	46.0
FENDT 1100 Vario MT series					**FENDT 1100 Vario MT series**						
AG004491	ALL TRAC CLS 6S 30X50 ST	1100 Vario MT	30	100	1.97	7.91	50	4	5.3	41	46.0
CASE IH Steiger Quadtrac series					**CASE IH Steiger Quadtrac series**						
Coming soon	ALL TRAC CLS 5S 32X42 ST	STX/Quadtrac *Not applicable for new model 715hp+	32	84	1.97	6.00	42	3	4.5	35	38.0

When changing your rubber track, please refer to your equipment manufacturer for proper procedure.

LIMITED WARRANTY FOR FIRESTONE RUBBER TRACKS

LIMITED PRO-RATA WARRANTY – AGRICULTURAL USE FOR FIRESTONE-BRANDED AGRICULTURAL RUBBER TRACKS ON FRICTION DRIVE SYSTEMS

TRACKS COVERED

This Limited Warranty covers all new Firestone-branded Agricultural Rubber Tracks, used in normal agricultural service, when purchased from Bridgestone/Firestone authorized dealer or distributor (the "Covered Ag Tracks").

LIMITED PRO-RATA WARRANTY – NON-AGRICULTURAL/INDUSTRIAL USE FOR FIRESTONE-BRANDED AGRICULTURAL RUBBER TRACKS ON FRICTION DRIVE SYSTEMS

TRACKS COVERED

This Limited Warranty covers new All Traction Class 5 and All Traction Class 6 Firestone-branded Agricultural Rubber Tracks purchased from Bridgestone/Firestone authorized dealer that are used for non-agricultural/industrial use including scraper use (the "Covered Rubber Tracks"). All Traction Class 3 and All Traction Class 4 Firestone-branded Agricultural Rubber Tracks are not subject to any warranty for non-agricultural/industrial use.

LIMITED PRO-RATA WARRANTY – FIRESTONE MAXI-TRI X AGRICULTURAL USE RUBBER TRACKS ON POSITIVE DRIVE SYSTEMS

TRACKS COVERED

This Limited Warranty covers all original-tread Firestone-branded Maxi-Tri X™ agricultural Rubber Tracks, used in normal agricultural service, when purchased from Bridgestone/Firestone authorized dealer or distributor (the Covered Ag Tracks").

LIMITED PRO-RATA WARRANTY – FIRESTONE-BRANDED SCRAPER RUBBER TRACKS ON FRICTION DRIVE SYSTEMS

TRACKS COVERED

This Limited Warranty covers new All Traction Class 6S Firestone-branded Scraper Rubber Tracks purchased from Bridgestone/Firestone authorized dealer that are used for scraper/agricultural use (the "Covered Rubber Tracks").

Reference **Firestone Warranty Brochure** or **visit bridgestone.com** for full details.
Have a technical question? Contact nearest Bridgestone/Firestone Agricultural Products Location.

Copyright © 2026 Bridgestone Corporation. All rights reserved.

NOTES


Firestone